

CHOKE FAMILY

The **Superior Products** Chokes are used for reliable flow control in oil or natural gas wells, manifold systems and injection systems.

A superior product with economic **advantages** and proven **efficiency** in the field.

DESIGN / FEATURES:

- Available in Carbon, Stainless & Tungsten Carbide steel trim.
- 2000, 3000, 5000 & 10,000 psi
- SizeOptions(Orifice): 3/4", 1", 2"
- SizeOptions: 113/16", 2", 21/16" & 3"
- Connections: Threaded & Flanged
- · Mini, Adjustable, & Positive designs
- Adjustable indicator opening reads in 1/64" increments
- Thumbscrew secures stem in open setting
- · Lubrication fitting for smooth operation

ASK ABOUT OUR PATENT PENDING

TC La K
DESIGN



3" CHOKE

N-60 CHOKE

N-63 CHOKE



1 13/16" JWA CHOKE



MINI CHOKE



POSITIVE CHOKE

* SEE BACK FOR MORE DETAILS AND CONSULT FACTORY

CALL (888) 634-4717
TODAY 2106 Old HIghway 40, Junction City, KS 66441







CALL (888) 634-4717 TODAY 2106 Old Hlghway 40, Junction City, KS 66441

3" CHOKE

- Available in 3000 and 5000 PSI.
- Steel, Stainless Steel, and Stainless Steel Tungsten Carbide Trim

Available Sizes:

- 3"LP Connection
- · 2" Orifice Size

N-60 CHOKE*

- Available in 5000 PSI
- Standard Trim (Steel), Stainless Steel, TBG Plated, and Stainless Steel Tungsten Carbide Trim

Available Sizes:

- · 2"LP Connection
- 2-1/16" 5M Flanged Connection
- 3/4" and 1" Orifice Sizes
- * Optional choke wrench available

MINI CHOKE

- Available in 2000, 3000, and 5000 PSI
- Steel, Stainless Steel, and Stainless Steel Tungsten Carbide Trim

Available Sizes:

- 2"LP Connection
- 3/4" and 1" Orifice Sizes

N-63 CHOKE*

- Available in 5000 PSI
- Standard Trim (Steel), Stainless Steel, TBG Plated, and Stainless Steel Tungsten Carbide Trim

Available Sizes:

- 3" LP Connection
- · 2" Orifice Size
- * Optional choke wrench available

113/16" JWA 10,000 PSI CHOKE*

- Available in 10,000 PSI
- Standard Trim (Steel), Stainless Steel, and Stainless Steel Tungsten Carbide Trim

Available Sizes:

- 1-13/16" Flanged Connection
- 3/4" and 1" Orifice Sizes
- * Optional choke wrench available

POSITIVE CHOKE & FLOW BEAN*

- · Available in pressure up to 5000 PSI
- Blanking cap is offered with or without 1/2" tap
- Flow bean configurations are available with Ceramic Trim, Alloy Steel, Stainless Steel, or Tungsten Carbide

Available Sizes:

- Positive Choke: 2"LP Connection
- Flow Bean: Orifice sizes available in 1/64" increments
- * Optional choke wrench available

©2024 Superior Products, All rights reserved

Superior Products reserves the right to change designs, materials, or specifications without notice or without obligation to furnish or install such changes on products previously or subsequently sold. Nothing in this brochure is intended to extend any type of warranty, expressed or implied.

1502 CHOKE REPLACEMENT PARTS AVAILABLE

*Optional Choke Wrench available.





CALL (888) 634-4717 TODAY 2106 Old Hlghway 40, Junction City, KS 66441

ALL PRODUCTS

MADE AND ASSEMBLED IN THE USA



CHOKES

Threaded, Flanged, Positive and Adjustable

VIEW PRODUCTS



LEVEL INDICATION

Gauge Valves, ESGs, Gauge Glass, Transparent Acrylic Tubes, Glass Guards, & Drum Gauges

VIEW PRODUCTS



CHEMICAL INJECTION

Diaphragm Pumps, Beam Pumps, Atomizers, and Coupon Holders

VIEW PRODUCTS



BPRs

Tee-Style, Hammer Union Style, In-line Available in 2" – 3"

VIEW PRODUCTS



LEVEL CONTROLLERS

Available in 2"Threaded, 4" Grooved and Flanged, 8"Trunnion

VIEW PRODUCTS







OTHER PRODUCTS

Bleed Rings, Bird Cages, Closures, Pig Signals, and Ball Checks

VIEW PRODUCTS



ISO CERTIFIED

Superior Products maintains our ISO Certification since 2014. Proof that Superior Products provides customers with a consistent, high quality product. ISO is an internationally recognized quality management system.



